


SUMMARY: RELEVANT SIGNALS (includes all signals rated ≥ 3.0)



Ebola virus (Bundibugyo virus)

- As of May 29, a total of 125 confirmed and 906 suspected cases, including 17 confirmed and 223 suspected related deaths, have been reported in the **DRC (Ituri, North Kivu and South Kivu)**; a total of nine confirmed cases, including one death, have been reported in **Uganda**

[Read More](#)



Foot and Mouth Disease

- In **Cyprus**, three new outbreaks of FMD SAT-1 have been identified at farms in the **Nicosia** district, bringing the total number of outbreaks across **Cyprus** to 120; ~43,000 sheep and goats, 3,000 cattle and 24,000 pigs have been destroyed as part of containment measures
- In **Greece**, 12 new outbreaks of FMD SAT-1 were reported on **Lesvos**, bringing the total number of outbreaks across the island to 96
- Mongolia** has reported its first outbreak of FMD SAT-1, with 30 cases reported in cattle in the west of the country, close to its border with China

[Read More](#)

[Read More](#)

[Read More](#)


New World Screwworm

- Mexico** has reported NWS infestation in a young sheep in **Coahuila**, ~50km from the US border

[Read More](#)



Vesicular Stomatitis

- On May 22, the NVSL confirmed vesicular stomatitis New Jersey virus (VSNJV) on an equine premises in **Sandoval County, New Mexico** (index case for 2026); one horse out of three on the premises had compatible clinical signs and was VSNJV-positive by both PCR and ELISA

[Read More](#)


Rabies

- Quebec** has announced that the first case of raccoon rabies has been confirmed in **Marieville**, in a dead raccoon

[Read More](#)


NEW EVENTS: (events rated > 2)



Foot and Mouth Disease SAT-1 in Mongolia

Pathogen: virus; **Transmission:** direct contact, fomite, aerosol; **Species affected in event:** cattle

- Mongolia has reported its first outbreak of FMD SAT-1. Thirty cases were reported in cattle in Chikhertei, Khar nuur bag, in the western part of the country, close to its border with China.

[Read More](#)

Avg. Rating	3.0
No. of Signal	1
No. of Ratings	3

CONTINUED EVENTS: (events rated ≥ 2.4)

Vesicular Stomatitis in the United States

No. of Signals: 01

No. of weeks in report: 18

Avg. Rating: 3.0

- On May 22, the NVSL confirmed vesicular stomatitis New Jersey virus (VSNJV) on an equine premises in Sandoval County, [New Mexico](#) (index case for 2026); one horse out of three on the premises had compatible clinical signs and was VSNJV-positive by both PCR and ELISA

Rabies in Canada

No. of Signals: 02

No. of weeks in report: 12

Avg. Rating: 2.5 - 3.0

- [Quebec](#) has announced that the first case of raccoon rabies has been confirmed in Mariville, in a dead raccoon
- In [Quebec](#), since January 1, 2026, 54 cases of raccoon rabies have been confirmed in Eastern Townships and Montérégie

New World Screwworm in Central America & Mexico

No. of Signals: 09

No. of weeks in report: 61

Avg. Rating: 2.0 - 3.0

- [Mexico](#) has reported NWS infestation in a young sheep in Coahuila, ~50km from the US border
- As of May 30, 2026, [Mexico](#) has reported 27,046 cumulative cases of the NWS infestations in animals, across 26 states
- [Mexico](#) has reported 254 human cases of NWS infestation so far in 2026, including the first human case in [Mexico City](#); the recent cases are in the borough of [Tlalpan](#), bordering Coyoacán, where the FIFA world cup soccer tournament will be held starting on June 11th, 2026
- [Honduras](#) has reported 176 human cases of NWS infestation so far in 2026, including a third death
- The [USDA](#) has opened a new Livestock Insects Research Laboratory to help combat livestock pests

Foot and Mouth Disease in Europe

No. of Signals: 07

No. of weeks in report: 17

Avg. Rating: 2.0 - 3.0

- In [Cyprus](#), three new outbreaks of FMD SAT-1 have been identified at farms in the Nicosia district, bringing the total number of outbreaks across Cyprus to 120; ~43,000 sheep and goats, 3,000 cattle and 24,000 pigs have been destroyed as part of containment measures
- In [Greece](#), 12 new outbreaks of FMD SAT-1 were reported on Lesbos, bringing the total number of outbreaks across the island to 96

Ebola Bundibugyo virus in Eastern Africa (DRC, Uganda)

No. of Signals: 09

No. of weeks in report: 03

Avg. Rating: 2.0 - 3.0

- As of May 29, a total of 125 confirmed and 906 suspected cases, including 17 confirmed and 223 suspected related deaths, have been reported in the [DRC](#) (Ituri, North Kivu and South Kivu); a total of nine confirmed cases, including one death, have been reported in Uganda

Peste des petits ruminants in Europe

No. of Signals: 01

No. of weeks in report: 11

Avg. Rating: 2.6

- In 2026, [Albania](#) has reported PPR on six farms across multiple districts, showing geographic spread and indications of local transmission, with five outbreaks occurring in May alone

Theileriosis in the United States

No. of Signals: 01

No. of weeks in report: 06

Avg. Rating: 2.5

- [Nebraska](#) has reported cases of Theileria in cattle across several counties; the Asian Longhorned Tick has not yet been found in the state

Highly Pathogenic Avian Influenza in Africa

No. of Signals: 06

No. of weeks in report: 94

Avg. Rating: 2.2

- [South Africa](#) has reported that a seal from Mossel Bay, sampled in April, tested positive for both HPAI and rabies; samples from [another seal](#) in the area have also recently been sent for testing

Highly Pathogenic Avian Influenza in Europe

No. of Signals: 07

No. of weeks in report: 276

Avg. Rating: 2.0

- [France](#) and [Poland](#) reported outbreaks of HPAI in domestic poultry
- [Luxembourg](#) has reported HPAI in a fox
- A summary of the overall HPAI situation in Europe is available [here](#)

Highly Pathogenic Avian Influenza in North America

No. of Signals: 01

No. of weeks in report: 219

Avg. Rating: 2.0

- [Canada](#) has not reported any outbreaks of HPAI in domestic poultry over the last week
- Over the last week, the [USDA](#) has reported outbreaks of HPAI in commercial poultry in: Indiana(3); and in WOAHP poultry in: Indiana(3)
- As of June 1, 2026, the [USDA](#) has reported influenza A(H5N1) in 1107 dairy herds across 19 states: Wisconsin(1), Nebraska(1), Wyoming(1), North Carolina(1), Ohio(1), Oklahoma(2), Kansas(4), Arizona(5), South Dakota(7), [Minnesota](#)(9), New Mexico(9), Nevada(11), Iowa(13), Utah(13), Texas(30), [Michigan](#)(31), [Colorado](#)(64), Idaho(132), and California(773); one new outbreak was reported from Idaho
- An [Oregon](#) man was awarded \$800,000 after his cat became ill, and tested positive HPAI, after eating raw pet food
- Wastewater surveillance dashboards for influenza can be found at the [CDC](#) and Stanford University's [WastewaterSCAN](#)

Highly Pathogenic Avian Influenza in Asia

No. of Signals: 06

No. of weeks in report: 240

Avg. Rating: 2.0

- [Vietnam](#), the [Philippines](#), [Nepal](#), and [Cambodia](#) have reported outbreaks of HPAI in domestic poultry

SCIENTIFIC FINDINGS, REPORTS, AND GUIDANCE:

Chronic Wasting Disease

- ◆ Limited transmission of cervid prions to nonhuman primates provides insights into the zoonotic potential of chronic wasting disease [Read More](#)

Influenza

- ◆ Pre-print: Inoculation Of Dairy Bulls With H5N1 B3.13 HPAI Virus Via Natural Routes [Read More](#)
- ◆ Pre-print: Detection of Anti-H5 Antibodies in People with Exposure to Wild Birds in Northern Canada [Read More](#)
- ◆ Human and Hunting Dog Interactions in the United States: Exploring Potential Transmission Pathways of Zoonotic Diseases and Highly Pathogenic Avian Influenza Virus [Read More](#)
- ◆ How WOA's new and revised chapters ensure better control of avian influenza [Read More](#)

Vectors and Vector Borne Diseases

- ◆ First molecular detection of *Theileria haneyi* infection in horses in Southern Spain [Read More](#)
- ◆ First molecular and phylogenetic study of the bovine lumpy skin disease virus declared in Algeria in 2024 [Read More](#)
- ◆ Predicting the global risk of chikungunya virus under climate change using ensemble species distribution models [Read More](#)
- ◆ Crimean-congo haemorrhagic fever virus circulates within broad ecological networks of ticks and vertebrates [Read More](#)

Other

- ◆ WHO Rapid Risk Assessment-Ebola disease caused by Bundibugyo virus, Democratic Republic of the Congo and Uganda v2 [Read More](#)
- ◆ Genomic Analysis of Sin Nombre Virus Sequences, Northwestern United States, 2023 [Read More](#)
- ◆ Cat-transmitted Sporotrichosis: A Clonal Household Outbreak with Atypical Human and Canine Disease Due to *Sporothrix brasiliensis* [Read More](#)
- ◆ New York Global Health Update Report – 05/28/2026 [Read More](#)
- ◆ France - Weekly Bulletin for International Animal Health Surveillance 02/06/2026 [Read More](#)
- ◆ ECDC - Communicable disease threats report, 23 - 29 May, week 22 [Read More](#)
- ◆ European Commission Animal Disease Information System – Weekly Outbreak Summary [Read More](#)

Disclaimer

This intelligence report is intended to provide information to risk managers about emerging and zoonotic disease events that could pose a threat to Canada. It is based on information signals acquired and selected from twenty-one distinct disease surveillance sources via the Knowledge Integration using Web-based Intelligence (KIWI) tool hosted on the Canadian Network for Public Health Intelligence (CNPHI) informatics platform. The report is based on the activities of the CEZD Community of Practice and subject to change based on evolving user needs.